

GROUND-WATER QUALITY REPORT

[<, less than; E, estimated; V, result likely affected by contamination during sampling; mg/L, milligrams per liter; std, standard; ug/L, micrograms per liter; uS/cm, microsiemens per centimeter; NTRU, nephelometric turbidity ratio unit; deg C, degrees Celsius; mm Hg, millimeters mercury; bls, below land surface]

Site ID: MW94-3

Depth Type: Shallow

QA type: Replicate

Blank type:

Sample Date: 6/24/2005 @ 1107

<i>Physical properties</i>		<i>Volatile organic compounds</i>	
Analyte name (units)	Value	Analyte name (units)	Value
Depth to bottom of sample interval (feet bls)	58	1,1,1,2-Tetrachloroethane (ug/L)	<0.2
Depth to top of sample interval (feet bls)	56	1,1,1-Trichloroethane (ug/L)	<0.1
<i>Explosives</i>			
Analyte name (units)	Value	Analyte name (units)	Value
1,3,5-Trinitrobenzene (1,3,5-TNB) (ug/L)	<0.12	1,1,2-Trichloroethane (ug/L)	<0.2
1,3-Dinitrobenzene (1,3-DNB) (ug/L)	<0.12	1,1,2-Trichlorotrifluoroethane (ug/L)	<0.1
2,4,6-Trinitrotoluene (TNT) (ug/L)	<0.12	1,1-Dichloroethane (ug/L)	<0.1
2,4-Dinitrotoluene (2,4-DNT) (ug/L)	<0.12	1,1-Dichloroethylene (ug/L)	<0.1
2,6-Dinitrotoluene (2,6-DNT) (ug/L)	<0.12	1,1-Dichloropropene (ug/L)	<0.2
2-Amino-4,6-dinitrotoluene (2-Am-DNT) (ug/L)	<0.12	1,2,3-Trichlorobenzene (ug/L)	<0.2
2-Nitrotoluene (2-NT) (ug/L)	<0.12	1,2,3-Trichloropropane (ug/L)	<0.2
3-Nitrotoluene (3-NT) (ug/L)	<0.12	1,2,4-Trichlorobenzene (ug/L)	<0.2
4-Amino-2,6-dinitrotoluene (4-Am-DNT) (ug/L)	<0.12	1,2-Dibromo-3-chloropropane (ug/L)	<0.5
4-Nitrotoluene (4-NT) (ug/L)	<0.12	1,2-Dibromoethane (ug/L)	<0.2
Cyclonite (RDX) (ug/L)	<0.12	1,2-Dichlorobenzene (ug/L)	<0.1
HMX (ug/L)	<0.12	1,2-Dichloroethane (ug/L)	<0.2
Nitrobenzene (NB) (ug/L)	<0.12	1,2-Dichloropropane (ug/L)	<0.1
Nitroglycerine (trinitroglycerol) (ug/L)	<0.12	1,3,5-Trimethylbenzene (ug/L)	<0.2
Pentaerythritol tetranitrate (PETN) (ug/L)	<0.12	1,3-Dichlorobenzene (ug/L)	<0.1
Tetryl (ug/L)	<0.12	1,3-Dichloropropane (ug/L)	<0.2
		1,4-Dichlorobenzene (ug/L)	<0.1

GROUND-WATER QUALITY REPORT

[<, less than; E, estimated; V, result likely affected by contamination during sampling; mg/L, milligrams per liter; std, standard; ug/L, micrograms per liter; uS/cm, microsiemens per centimeter; NTRU, nephelometric turbidity ratio unit; deg C, degrees Celsius; mm Hg, millimeters mercury; bls, below land surface]

Site ID: MW94-3

Depth Type: Shallow

QA type: Replicate

Blank type:

Sample Date: 6/24/2005 @ 1107

<i>Volatile organic compounds</i>		<i>Volatile organic compounds</i>	
Analyte name (units)	Value	Analyte name (units)	Value
2,2-Dichloropropane (ug/L)	<0.2	Dichloromethane (methylene chloride) (ug/L)	<0.2
2-Chlorotoluene (ug/L)	<0.2	Ethylbenzene (ug/L)	<0.1
4-Chlorotoluene (ug/L)	<0.2	Hexachlorobutadiene (ug/L)	<0.2
4-Isopropyl-1-methylbenzene (ug/L)	<0.2	Isopropylbenzene (ug/L)	<0.2
Acrylonitrile (ug/L)	<2.5	Naphthalene (ug/L)	<0.5
Benzene (ug/L)	<0.1	n-Propylbenzene (ug/L)	<0.2
Bromobenzene (ug/L)	<0.2	sec-Butylbenzene (ug/L)	<0.2
Bromoform (ug/L)	<0.2	Styrene (ug/L)	<0.1
Bromomethane (ug/L)	<0.3	tert-Butyl methyl ether (ug/L)	<0.2
Bromodichloromethane (ug/L)	<0.1	tert-Butylbenzene (ug/L)	<0.2
Bromoform (ug/L)	<0.2	Tetrachloroethylene (ug/L)	<0.1
Butylbenzene (ug/L)	<0.2	Tetrachloromethane (ug/L)	<0.2
Chlorobenzene (ug/L)	<0.1	Toluene (ug/L)	<0.1
Chloroethane (ug/L)	<0.2	trans-1,2-Dichloroethylene (ug/L)	<0.1
Chloroform (ug/L)	<0.1	trans-1,3-Dichloropropene (ug/L)	<0.2
Chloromethane (ug/L)	<0.2	Trichloroethylene (TCE) (ug/L)	<0.1
cis-1,2-dichloroethene (ug/L)	<0.1	Trichlorofluoromethane (ug/L)	<0.2
cis-1,3-Dichloropropene (ug/L)	<0.2	Vinyl chloride (ug/L)	<0.2
Dibromochloromethane (ug/L)	<0.2	Xylene [total] (ug/L)	<0.2
Dibromomethane (ug/L)	<0.2		
Dichlorodifluoromethane (ug/L)	<0.2		