

GROUND-WATER QUALITY REPORT

[<, less than; E, estimated; V, result likely affected by contamination during sampling; mg/L, milligrams per liter; std, standard; ug/L, micrograms per liter; uS/cm, microsiemens per centimeter; NTRU, nephelometric turbidity ratio unit; deg C, degrees Celsius; mm Hg, millimeters mercury; bls, below land surface]

Site ID: *MW90-10*

Depth Type: *N/A*

QA type: *Blank*

Blank type: *Field blank*

Sample Date: *8/29/2005 @ 1402*

Explosives

Analyte name (units)	Value
1,3,5-Trinitrobenzene (1,3,5-TNB) (ug/L)	<0.12
1,3-Dinitrobenzene (1,3-DNB) (ug/L)	<0.12
2,4,6-Trinitrotoluene (TNT) (ug/L)	<0.12
2,4-Dinitrotoluene (2,4-DNT) (ug/L)	<0.12
2,6-Dinitrotoluene (2,6-DNT) (ug/L)	<0.12
2-Amino-4,6-dinitrotoluene (2-Am-DNT) (ug/L)	<0.12
2-Nitrotoluene (2-NT) (ug/L)	<0.12
3-Nitrotoluene (3-NT) (ug/L)	<0.12
4-Amino-2,6-dinitrotoluene (4-Am-DNT) (ug/L)	<0.12
4-Nitrotoluene (4-NT) (ug/L)	<0.12
Cyclonite (RDX) (ug/L)	<0.12
HMX (ug/L)	<0.12
Nitrobenzene (NB) (ug/L)	<0.12
Nitroglycerine (trinitroglycerol) (ug/L)	<0.1
Pentaerythritol tetranitrate (PETN) (ug/L)	<0.1
Tetryl (ug/L)	<0.12

Volatile organic compounds

Analyte name (units)	Value
cis-1,2-dichloroethene (ug/L)	<1
Dichloromethane (methylene chloride) (ug/L)	<5
Toluene (ug/L)	E0.36
Trichloroethylene (TCE) (ug/L)	<1
Xylene [total] (ug/L)	<2

Volatile organic compounds

Analyte name (units)	Value
1,1,1-Trichloroethane (ug/L)	<1
1,2-Dichloropropane (ug/L)	<1

GROUND-WATER QUALITY REPORT

[<, less than; E, estimated; V, result likely affected by contamination during sampling; mg/L, milligrams per liter; std, standard; ug/L, micrograms per liter; uS/cm, microsiemens per centimeter; NTRU, nephelometric turbidity ratio unit; deg C, degrees Celsius; mm Hg, millimeters mercury; bls, below land surface]

Site ID: **MW90-10**QA type: *Blank*Sample Date: **8/29/2005 @ 1403**Depth Type: **N/A**Blank type: *Trip blank***Volatile organic compounds****Analyte name (units)** **Value**

1,1,1-Trichloroethane (ug/L)	<1
1,2-Dichloropropane (ug/L)	<1
cis-1,2-dichloroethene (ug/L)	<1
Dichloromethane (methylene chloride) (ug/L)	<5
Toluene (ug/L)	<1
Trichloroethylene (TCE) (ug/L)	<1
Xylene [total] (ug/L)	<2

GROUND-WATER QUALITY REPORT

[<, less than; E, estimated; V, result likely affected by contamination during sampling; mg/L, milligrams per liter; std, standard; ug/L, micrograms per liter; uS/cm, microsiemens per centimeter; NTRU, nephelometric turbidity ratio unit; deg C, degrees Celsius; mm Hg, millimeters mercury; bls, below land surface]

Site ID: **MW90-10**QA type: *Blank*Sample Date: **8/29/2005 @ 1405**Depth Type: **N/A**Blank type: *Source solution blank***Volatile organic compounds**

Analyte name (units)	Value
1,1,1-Trichloroethane (ug/L)	<1
1,2-Dichloropropane (ug/L)	<1
cis-1,2-dichloroethene (ug/L)	<1
Dichloromethane (methylene chloride) (ug/L)	<5
Toluene (ug/L)	<1
Trichloroethylene (TCE) (ug/L)	<1
Xylene [total] (ug/L)	<2