

GROUND-WATER QUALITY REPORT

(<, less than; E, estimated; mg/L, milligrams per liter; ug/L, micrograms per liter; uS/cm, microsiemens per centimeter; NTU, nephelometric turbidity unit; deg C, degrees celcius; mmHg, millimeters mercury; bls, below land surface; V, result likely affected by contamination during analysis or sampling)

SiteID: MW94-3

QA type: Spike

Sample Date: 2006-09-19 @ 1000

<i>Explosives</i>	Value
Parameter Name	Value
1,3,5-Trinitrobenzene (1,3,5-TNB) (ug/L)	0.15
1,3-Dinitrobenzene (1,3-DNB) (ug/L)	0.16
2,4,6-Trinitrotoluene (TNT) (ug/L)	E0.09
2,4-Dinitrotoluene (2,4-DNT) (ug/L)	0.12
2,6-Dinitrotoluene (2,6-DNT) (ug/L)	0.12
2-Amino-4,6-dinitrotoluene (2-Am-DNT) (ug/L)	0.14
2-Nitrotoluene (2-NT) (ug/L)	0.17
3-Nitrotoluene (3-NT) (ug/L)	0.14
4-Amino-2,6-dinitrotoluene (4-Am-DNT) (ug/L)	E0.09
4-Nitrotoluene (4-NT) (ug/L)	0.13
Cyclonite (RDX) (ug/L)	0.12
HMX (ug/L)	0.12
Nitrobenzene (NB) (ug/L)	0.17
Nitroglycerine (trinitroglycerol) (ug/L)	<0.12
Pentaerythritol tetranitrate (PETN) (ug/L)	<0.12
Tetryl (ug/L)	E0.06